

QUOTATION					
<b>NAME OF WORK :- Providing and Fixing of Burnt Brick masonry, Repairing work of expansion joints, Providing and erecting Y type barbed wire fencing , Supplying and installing wall mounting swinging hose reel drum and other Misc. repair works at Amaravati Depot Building, Balbharati.</b>					
Sr. No.	Item Specifications	Quantity	Unit	Rate	Amount
1	Providing and Fixing of Glass plain 5 mm thick including with all required screws,putty(Lambi), U shape clip and nuts etc, complete.	7.20	Sq. Mt.		
2	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in superstructure including striking joints, raking out joints, watering and scaffolding etc. Complete	34.75	Cum.		
3	Providing expansion joints in R.C.C. framed structure (at terrace level) with premoulded filler 25 mm thick and 3 mm thick aluminium plate as required, bituminous poured filler, fixing lead, flashing on upper side and T.W. battens on inner face finishing etc. Complete as directed.	9.00	Sq. Mt.		
4	Providing and laying Cast in situ/Ready Mix cement concrete in M15 of trap/ granite/quartzite/gneiss metal for steps including steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The Cement Mortar 1:3 plaster is considered for rendering uneven and honeycombed surface, only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.),with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Natural Sand / Crushed sand VSI Grade finely washed etc)	1.35	Cum.		
5	Providing and fabricating structural steel work in rolled sections like joists, channels, angles, tees etc. as per detailed design and drawings or as directed including cutting, fabricating, hoisting, erecting, fixing in position making riveted / bolted /welded connections without connecting plates, braces etc. and including one coat of anticorrosive paint and over it two coats of oil painting of approved quality and shade etc. complete.	0.20	M.T		
6	Providing internal cement plaster 12mm thick in single coat in cement mortar 1:3 without neeru finish to concrete or brick surfaces, in all position including scaffolding and curing etc. complete.	10.00	Sq. Mt.		

7	Providing and laying polished hand cut Kotah Stone flooring 25mm to 30mm thick and 45cm to 55cm wide in plain/diamond pattern on a bed of 1:6 C.M. including cement float, filling joints with neat cement slurry, curing, polishing and cleaning complete.	150.00	Sq. Mt.		
8	Providing structural steel work in single stanchions composed of R.S.J. Channel etc. with caps, bases, mild steel plated, angle brackets, cleats, gusset plates, anchor bolts etc. as per detailed designs and drawings or as directed including cutting, fabrication, hoisting, erecting fixing in position, making riveted/ bolted/ welded connection and one coat of anticorrosive paint and over it two. coats of oil painting approved quality and shade etc. complete.	0.32	M.T		
9	Providing and fixing colour coated Zinalume ( R ) AZ150 ( min 150 gms/sq.mt. total on each side ) profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness ( BMT ) (0.5 mm TCT ), Hi-strength steel with min.550 MPa yield strength, metallic hot dip coated with Aluminium-Zinc alloy (55% aluminium 43.4% zinc 1.6% silicon) with COLORBOND ( R ) steel quality super durable polyester paint coat ( with inorganic pigment). The paint shall have a total coating thickness of nominal 35 um, comprising of nominal 25 um exterior coat on top surface and nominal 10 um reverse coat on back surface. Profile sheet shall have nom. 950-1050 mm effective cover width and nominal 25-30 mm deep ribs with subtle square fluting in the five pan at nominal 180-250 mm center- to-center. The end rib shall be designed for anti-capillary groove. and return leg. The feed material should have coil manufacturers product details marked a regular interval. Including fasteners with min. fastened with min. 25 um Zinc-Tin alloy coated, Hex head, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre)	5.00	Sq. Mt.		
10	Providing and erecting Y type barbed wire fencing with seven rows of wire with 2.45 mm dia G.I. pipe ( Rezan/ concentric Deleted ire 0.75 mm dia ) with hot dip and G.I. coated hooks as per drawing supported on M.S. angle 50 x 50 x 6 mm at 2.5 mtr. c/c including fixing and fastening with wire, painting M.S. angles with one coat of red lead primer and two coat of oil paint etc. complete	100.00	R.M.T		
11	Supplying and erecting air circulator 600 mm. sweep oscillating type, wall mounting 1440 RPM without speed regulator, overheat protection unit, totally enclosed, flame proof motor suitable for 230/250 volts single phase, 50 cycles A.C. supply, core lead wire and with moisture proof treatment to winding and with 'E' class insulation.	6.00	Nos.		

12	Supplying and erecting M.S./CRCA cabinet for housing single hydrant valve of size ( 400 x 400 x 400)mm or hose pipe box of size ( 600 x 600 x 200)mm made from min. 1.5 mm thick CRCA sheet with angle iron work of min. of size (25 x 25 x 4) mm having front doors with viewing glass of size (200x150) mm and locking arrangement with necessary fixing material such as rubber bidding etc. duly painted in post box red colour( Code 538 of IS 5)	1.00	Nos.		
13	Supplying and installing wall mounting swinging hose reel drum fitted with 19 mm dia. 30m long high pressure polypropylene (Polyhose) along with necessary accessories complete as per specification no. FF-FFA/HV	1.00	Nos.		
14	Providing and applying of red enamel paint for the above ground fire fighting piping with one coat of primer and two coat of enamel paint of approved colour. Work will include cleaning of pipe, degreasing, etc. (Only Painting)	300.00	R.M.T		
		TOTAL COST			
		G.S.T 18%			
		TOTAL COST OF WORK			

**Seal & Signature of Contractor with address and Mobile No.**

  
**Depot Manager**  
**U.P. Bureau of Town & Country**  
**Amroht**